

Packaging & Delivery

Selling Units: Pairs

Single package size: 50X45X45 cm Single gross weight: About 22kgs

Package Type: Inner: envelops;Outer: Carton; export standard or upon your design

Overview
Place of Origin:

Model Number:

Lenses Color:

Vision Effect:

Brand Name:

Lenses Material:

Whatsapp, Skepe, Wechat, Email

Certificate:

Coating:

Diameter:

Corridor:

Lead Time: Quantity(Pairs) 1 - 1000prs, 10days

Quantity(Pairs) > 5000prs, To be negotiated

White 1.56 freeform progressive 9+4mm shorter corridor optical lens

Refractive index	Corridor Length	Coating	Abbe Value
1.56	9+4mm	HC, HMC	42
Specific Gravity	Transmission	Monomer	Power Range

Features.



AR Coating.

- --HC(hard coating): To protect the uncoated lenses from scratch resistance
- --HMC(hard multi coated/AR coating): To protect the lens effectively from reflection, enhance functional and charity of your vision

i ne Advantages Of Progressive Lenses.

--With progressive lenses, you won't need to have more than one pair of glasses with you. You don't need to swap between your reading and regular glasses.

Jiangsu, China

Clear, Clear

Freeform

9+4mm

kingway

CE/ISO

HC.HMC

Resin

70mm

1.56

- ---Vision with progressives can seem natural. If you switch from viewing something up close to something far away, you won't get a "jump" like you would with bifocals or trifocals. So if you're driving, you can look at your dashboard, at the road, or at a sign in the distance with a smooth transition.
- ---They look like regular glasses. In one study, people who wore traditional bifocals were given progressive lenses to try. The study's author said




--SHMC(super hydrophobic coating): To make the lens waterproof, antistatic, anti slip and oil resistance.



Progressive Short Corridor (M.S.OPTICAL Design-Magic)

- Index:1.56
- Technical Data-



	+	
	In Diopter Terms₽	<u>In</u> mm⊷
Width of Far Vision Zone	0.5 D	10.4mm ↔
(2mm above MRP)	1.0 D	Clear+
Width of Far Vision Zone	0.5 D	23.0mm⊌
(8mm above MRP)	1.0 D	Clear↔
Height of Iso-Astig. Line above	0.5 D	6.8mm₽
0-180 line (17mm from MRP) temp	oral 0.5 D	5.5mm↔
Width of Reading Zone	0.5 D	8.3mm⊬
(14mm below MRP)	1.0 D	14.0mm↔
Fitting Cross	up form center	2.0mm₽
Start of Progressive above MRP		-2.0mm
End of Progressive above MRP		14.0mm⊌
Maximum Astigmatism		-2.5₽
Corridor Width	0.5 D	4.6mm↔
	1.0D	8.7mm↔
Minimum Fitting Height		17mm₽

Availability:

Semi-Finished(S/F) Lenses,

Base Curves: 2.00, 4.00, 6.00, 8.00

Addition Powers: 1.00 to 3.00 in 0.25D steps-

+++

1.56 PHOTOCHROMIC S/F PROGRESSIVE SHORT CORRIDOR LENS

Diameter		True Curve	Radius	Back Curve	Edge∂ mm∂	Center¢ mm₽	MRP«	957 83	Fitting Crosse	0.000	RX Range
75 mm ₽	200 ₽	2.64 ₽	200.40	6.50	10₽	5.5₽	3€	1.97	2₽	1.56₽	-3.25D/-7.50D₽
75 mm ↔	400 ₽	4.19 ₽	126.40	5.25	7.04	6.043	3₽	1.97	2€	2.49₽	-1.00D/-3.00D
75 mm ↔	600 ₽	6.31 ↔	83.99₽	5.25	7.043	9.5₽	3₽	1.97	2€	3.80₽	-0.75D/+2.25D↔
75mm₽	800 🕫	8.44 ₽	62.80₽	5.25	7.5₽	11.5₽	3₽	1.97	2₽	5.19₽	+2.50D/+5.50D+

	- 29				170			2 2	
1.56 HMC PROGRESSIVE Short Corridor									
	+1.00	+1.25	+1.50	+1.75	+2.00	+2.25	+2.50	+2.75	+3.00
0.00									
0.25									
0.50									
0.75									
1.00									
1.25				70mm					
1.50									
1.75									

2.00					
2.25					
2.50					
2.75					
3.00					